




<ul style="list-style-type: none"> <li>• <b>Description</b></li> <li>• <b>Application</b></li> <li>• <b>Materials</b></li> <li>• <b>Part Number</b></li> <li>• <b>Size</b></li> <li>• <b>Max Rating</b></li> </ul>	<p><b>5" Diameter Bonded Abrasive Grinding Disc for Stone</b>            Depressed Centre High Performance, minimal vibration &amp; long life            Grinding Masonry, Stone, Concrete            Stone, Brick, Concrete, Ceramics            GW578DCM            125mm x 6.4mm            12'200rpm</p>	
<ul style="list-style-type: none"> <li>• <b>Description</b></li> <li>• <b>Application</b></li> <li>• <b>Materials</b></li> <li>• <b>Part Number</b></li> <li>• <b>Size</b></li> <li>• <b>Max Rating</b></li> </ul>	<p><b>5" Diameter Bonded Abrasive Grinding Disc for Metal</b>            Depressed Centre High Performance, minimal vibration &amp; long life            Grinding Pipe, Structural, Solid or Plate            Steel, Stainless Steel            GW578DCS            125mm x 6.4mm            12'200rpm</p>	
<ul style="list-style-type: none"> <li>• <b>Description</b></li> <li>• <b>Application</b></li> <li>• <b>Materials</b></li> <li>• <b>Part Number</b></li> <li>• <b>Size</b></li> <li>• <b>Max Rating</b></li> </ul>	<p><b>5" Diameter Bonded Abrasive Cutting Disc for Metal</b>            Depressed Centre High performance, minimal vibration &amp; long life            Cutting Pipe, Structural, Solid and Plate            Steel, Stainless Steel            CW578DCS            125mm x 2.5mm            12'200rpm</p>	
<ul style="list-style-type: none"> <li>• <b>Description</b></li> <li>• <b>Application</b></li> <li>• <b>Materials</b></li> <li>• <b>Part Number</b></li> <li>• <b>Size</b></li> <li>• <b>Max Rating</b></li> </ul>	<p><b>5" All-Grind Diamond Grit Grinding Disc</b>            Durable, Long Life with the ability to grind a wide range of materials            General Grinding / Various Materials            All Purpose, Concrete, Stone, Steel &amp; Alloys, Composite, PVC, Wood            AG125-22            125mm            12'250rpm</p>	
<ul style="list-style-type: none"> <li>• <b>Description</b></li> <li>• <b>Application</b></li> <li>• <b>Materials</b></li> <li>• <b>Part Number</b></li> <li>• <b>Size</b></li> <li>• <b>Max Rating</b></li> </ul>	<p><b>5" All-Cut Diamond Grit Cutting Disc</b>            Durable, Long Life with the ability to cut a wide range of materials            General Cutting / Various Materials            All Purpose, Concrete, Stone, Steel &amp; Alloys, Composite, PVC, Wood            AC125-22            125mm x 2.5mm            12'250rpm</p>	

All Hydraulic Tools, parts, accessories and allied equipment are subject to design improvements, specification and price changes at any time without notice and with no obligation to units already sold. Weights, dimensions and operating specifications listed herein are subject to change without notice. Where specifications are critical to your applications, please consult us

<ul style="list-style-type: none"> <li>• <b>Description</b></li> <li>• <b>Application</b></li> <li>• <b>Materials</b></li> <li>• <b>Part Number</b></li> <li>• <b>Size</b></li> <li>• <b>Max Rating</b></li> </ul>	<p><b>5" Diamond Grinding Cup DS300 B</b>            Cup Grinding Wheel with 18 segments            High Stock Removal Performance            Concrete, Stone, Construction Material            325362            125mm x 5mm            12'200rpm</p>	
<ul style="list-style-type: none"> <li>• <b>Description</b></li> <li>• <b>Application</b></li> <li>• <b>Materials</b></li> <li>• <b>Part Number</b></li> <li>• <b>Size</b></li> <li>• <b>Max Rating</b></li> </ul>	<p><b>5" Diamond Cutting Disc DT 600 U</b>            Fast Cutting Performance, Long Life            Cutting            Concrete, Stone, Brick, Construction Materials            322631            125mm x 2.4mm            12'200rpm</p>	
<ul style="list-style-type: none"> <li>• <b>Description</b></li> <li>• <b>Application</b></li> <li>• <b>Materials</b></li> <li>• <b>Part Number</b></li> <li>• <b>Size</b></li> <li>• <b>Max Rating</b></li> </ul>	<p><b>Cup Wire Brush 100mm Crimped Steel Bristles</b>            General purpose cup wire brush            Surface preparation, Rust removal, Cleaning            Various, Inc. Steel, Stainless Steel &amp; Glass Fibre            CWB100-CB14            100mm x M14 Threaded Bore            8'500rpm</p>	
<ul style="list-style-type: none"> <li>• <b>Description</b></li> <li>• <b>Application</b></li> <li>• <b>Materials</b></li> <li>• <b>Part Number</b></li> <li>• <b>Size</b></li> <li>• <b>Max Rating</b></li> </ul>	<p><b>Cup Wire Brush 100mm Twisted Knot Steel Bristles</b>            Hard wearing cup brush with good material removal            De-burring, De-scaling, Marine growth removal, Paint removal            Various, Inc. Steel, Stainless Steel &amp; Glass Fibre            CWB100-TK14            100mm x M14 Threaded Bore            8'500rpm</p>	
<ul style="list-style-type: none"> <li>• <b>Description</b></li> <li>• <b>Application</b></li> <li>• <b>Materials</b></li> <li>• <b>Part Number</b></li> <li>• <b>Sizes</b></li> <li>• <b>Max Rating</b></li> </ul>	<p><b>Bevel Wire Brush 100mm Twisted Knot Steel Bristles</b>            Hard wearing bevel brush with good material removal            De-burring, De-scaling, Marine growth removal, Paint removal            Various, Inc. Steel, Stainless Steel &amp; Glass Fibre            BWB100-TK14            100mm x M14 Threaded Bore            12'500rpm</p>	

All Hydraulic Tools, parts, accessories and allied equipment are subject to design improvements, specification and price changes at any time without notice and with no obligation to units already sold. Weights, dimensions and operating specifications listed herein are subject to change without notice. Where specifications are critical to your applications, please consult us

<ul style="list-style-type: none"> <li>• <b>Description</b></li> <li>• <b>Application</b></li> <li>• <b>Materials</b></li> <li>• <b>Part Number</b></li> <li>• <b>Size</b></li> <li>• <b>Max Rating</b></li> </ul>	<p><b>5" Rapid Strip Disc DPC, Extra Coarse, Harder Density</b>            Synthetic fibres and coarse silicon carbide grains            Light Marine Growth, Rust &amp; Paint removal. Surface Preparation            Various, Inc. Steel, Stainless Steel &amp; Glass Fibre            RSD30655            125mm DPC            12'000rpm</p>													
<ul style="list-style-type: none"> <li>• <b>Description</b></li> <li>• <b>Application</b></li> <li>• <b>Materials</b></li> <li>• <b>Part Number</b></li> <li>• <b>Sizes</b></li> <li>• <b>Grit</b></li> <li>• <b>Max Rating</b></li> </ul>	<p><b>5" Conical Fibre Discs (40/80/120 Grit) DPC</b>            Zirconium, excellent material removal and long life            Ideal for edge grinding, surface preparation &amp; cleaning, De-rusting            Steel, Stainless Steel</p> <table border="0"> <tr> <td>CFD02315</td> <td>CFD02318</td> <td>CFD02326</td> </tr> <tr> <td>125</td> <td>125</td> <td>125</td> </tr> <tr> <td>40-Grit</td> <td>80-Grit</td> <td>120-Grit</td> </tr> <tr> <td>12'250rpm</td> <td></td> <td></td> </tr> </table>	CFD02315	CFD02318	CFD02326	125	125	125	40-Grit	80-Grit	120-Grit	12'250rpm			
CFD02315	CFD02318	CFD02326												
125	125	125												
40-Grit	80-Grit	120-Grit												
12'250rpm														
<ul style="list-style-type: none"> <li>• <b>Description</b></li> <li>• <b>Application</b></li> <li>• <b>Materials</b></li> <li>• <b>Part Number</b></li> <li>• <b>Size</b></li> <li>• <b>Max Rating</b></li> </ul>	<p><b>4" Swirl-Off</b>            Stainless Steel housing with 21 cutters            De-Scaling, Marine Growth Removal, Paint Removal            Various, Inc. Steel, Stainless Steel &amp; Glass Fibre            50400MM            100mm x M14 Threaded Bore            6000rpm</p>													

All Hydraulic Tools, parts, accessories and allied equipment are subject to design improvements, specification and price changes at any time without notice and with no obligation to units already sold. Weights, dimensions and operating specifications listed herein are subject to change without notice. Where specifications are critical to your applications, please consult us