



AKP 18-600 AS

Cordless sealant gun

Powerful and flexible cordless sealant gun for rapid and precise application of sealing materials and adhesives of various viscosities and for filling gaps.

Product number: 7 146 01 61 00 0



Details

- With a maximum compressive force of 3500 N and a no-load feed of up to 8 mm/s, the powerful motor guarantees rapid work progress even when working with particularly viscous materials.
- thanks to 9 speed settings, a manual trigger and a continuously variable ejection speed, the material flow can be regulated ideally in no time at all.
- + The automatic return function (no drip function) allows the pressure to drop when the trigger is released and the gear rack to retract, thereby preventing the used material from dripping or escaping.

- + Quick, tool-free switch between cartridges and plastic bags.
- Optimum utilisation of material as it is virtually all pressed out.
- + Constant flow of sealant and reduced bubble formation.
- + Electronic Cell Protection (ECP): ECP protects against overload, overheating and total discharge.
- The COOLPACK technology ensures a longer battery life and therefore makes long operating periods possible.
- + The battery charge can be read off the battery.
- + Compatible with AMPShare/Bosch Professional 18 V batteries.

Technical data

TECHNICAL DATA

18 V Battery voltage Li-ion / ProCORE Li-ion Battery compatibility 18 V AMPShare Battery interface 3 500 N Maximum compressive force 310, 400 ml Capacity, cartridge Capacity, foil pouch 300, 400, 600 ml Feed speed 7 mm/sek Width 255 mm 635 mm Length

VIBRATION AND SOUND EMISSION VALUES

Sound pressure level LpA Uncertainty of measured value KpA

Sound power level LWA Uncertainty of measured value KWA

70 dB 3 dB

80 dB 3 dB



Height

80 mm

Weight without storage battery

2.20 kg

Application examples



Kompatibel mit AMPShare-/ Bosch Professional 18 V Akkus. | Compatible with AMPShare/Bosch

Professional 18 V batteries. | Compatible avec les batteries 18 V AMPShare/Bosch Professional. | Compatible con baterías AMPShare/Bosch Professional de 18 V. | Compatibile con le batterie AMPShare / Bosch Professional da 18 V.